



Pregnyl (Chorionic Gonadotropin (Hcg) 5000 Iu MI) Powder - Pregnyl® (chorionic gonadotropin) for injection

PREGNYL® (chorionic gonadotropin for injection, USP) is a highly purified pyrogen-free preparation obtained from the urine of pregnant females. It is standardized by a biological assay procedure.

✓ **Our premier AAS Shop is an exclusive online store designed for fitness enthusiasts and athletes seeking to enhance their physique and performance.**

✓ **We provide a diverse range of high-quality products, including anabolic steroids, performance-enhancing drugs, injectable and oral steroids, PCT (Post Cycle Therapy) products, growth hormone, peptides, fat burners, and vitamins.**

✓ **All our products are sourced from reputable manufacturers and guaranteed to be 100% genuine. With a wide selection of steroids for various purposes such as bulking, cutting, and strength-gaining, we also offer PCT products to aid in post-cycle recovery.**

✓ **BUY ANABOLICS ONLINE → <https://cutt.ly/LwIxLKOO>**

PDF Pregnyl (chorionic gonadotropin for injection, USP) - Food and Drug .



Pregnyl consists of a freeze-dried powder for injection and a solvent for reconstitution. The active ingredient [human chorionic gonadotropin (hCG)] which is obtained from the urine of pregnant women, has luteinizing hormone (LH) activity. An ampoule contains 500, 1500 or 5000 IU hCG. For excipients, see 6. 1. 3. PHARMACEUTICAL FORM

Pregnyl® (chorionic gonadotropin for injection USP) - DailyMed



In men, doctors prescribe hCG to help address the symptoms of hypogonadism, such as low testosterone and infertility. hCG can help the body increase its production of testosterone and sperm,.

Ovidrel, Novarel (choriogonadotropin alfa) dosing, indications .



It is standardized by a biological assay procedure. It is available for intramuscular injection in multiple dose vials containing 10,000 USP units of sterile dried powder with 5 mg monobasic sodium phosphate

and 4.4 mg dibasic sodium phosphate. If required, pH is adjusted with sodium hydroxide and/or phosphoric acid.

PDF Package Leaflet: Information for the user Pregnyl® 5000 IU, powder and .




Human chorionic gonadotropin (HCG) is a hormone that is used to cause ovulation and to treat infertility in women. human chorionic gonadotropin (HCG) is not effective in women with primary ovarian failure. HCG is used in men to treat hypogonadism, a condition in which the body doesn't produce enough testosterone.

PDF Pregnyl (chorionic gonadotropin) for injection - Organon



The action of human chorionic gonadotropin (hCG) is virtually identical to that of pituitary LH, although hCG appears to have a small degree of FSH activity as well. . 5000 USP units every second day for 4 injections. 15 injections for 500 to 1000 USP units over a period of 6 weeks. . PREGNYL is a white, dry powder / cake. The solvent is a .



Please follow these steps for injecting the medication: Cleanse the injection site (upper-outer quadrant of the backside hip) with alcohol. Wait a few seconds until alcohol has dried on skin. Remove cap from needle. Insert needle quickly in a dart-like motion 90-degrees to the skin as far as it will go. Anchor syringe with your free hand.

Pregnyl injectable Uses, Side Effects & Warnings - Drugs. com



2. 2. What you need to know before you use Pregnyl Do not use Pregnyl: If you are allergic to Human Chorionic Gonadotropin (HCG) or any of the other ingredients of this medicine (listed in section 6). have cancer (especially a hormone-dependent cancer of the breast, ovaries, womb or the testes) or uterus in the female and prostate tumor in males.

Pregnyl: Package Insert - Drugs. com

NDC 0052-0315-10

10-mL multidose vial
with 10-mL vial of solvent

Pregnyl[®]

(chorionic gonadotropin
for injection USP)

10,000
USP units/vial

For Intramuscular
Injection Only

Rx only

Store at controlled room temperature 15-30°C (59-86°F).
Reconstituted solution is stable for 60 days when refrigerated.

Manufactured for: Merck Sharp & Dohme Corp., a subsidiary of
MERCK & CO., INC.
Whitehouse Station, NJ 08889, USA

Pregnyl[®] manufactured by: Baxter Oncology GmbH,
Halle 33790, Germany

Pregnyl Solvent manufactured by: Baxter Pharmaceutical Solutions LLC,
Bloomington, IN 47403, USA

Human Chorionic Gonadotropin (active ingredient)
Made in The Netherlands. Formulated in Germany.

Open At Other End



N 3 0052-0315-10 4



For Intramuscular
Injection Only

10,000
USP units/vial

(chorionic gonadotropin
for injection USP)

Pregnyl[®]

GTIN: 00500520315104

NDC 0052-0315-10

10-mL multidose vial
with 10-mL vial of solvent

Pregnyl[®]

Each vial of sterile dried
powder contains:
10,000 USP units of chorionic
gonadotropin with 5 mg
monobasic sodium phosphate
and 4.4 mg dibasic sodium
phosphate, pH adjusted with
sodium hydroxide and/or
phosphoric acid if required.

Each 10-mL vial of

Star 2. Summary. Chorionic Gonadotropin (Human) is a naturally-occurring hormone produced during human placenta used for the treatment of prepubertal cryptorchidism and hypogonadotropic hypogonadism in selected males, and induction of pregnancy in selected infertile women. Brand Names. Novarel, Pregnyl. Generic Name. Chorionic Gonadotropin .

Pregnyl (Chorionic Gonadotropin for Injection): Uses, Dosage . - RxList



powder for reconstitution. 10,000 units/vial; Induction of Ovulation & Pregnancy. . Novarel, Pregnyl, Generics: 5,000-10,000 units 1 day following last dose of menotropins. Induction of Spermatogenesis Novarel, Pregnyl, Generics. . or to other products containing chorionic gonadotropin (hCG); or if you have any other allergies. This product .

hCG for Men: Testosterone, Weight Loss, Side Effects & More - Healthline



Common side effects of Pregnyl may include: headache, depression; feeling restless or irritable; swelling; breast tenderness or swelling; or. pain where the medicine was injected. This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800 .

DailyMed - PREGNYL- choriogonadotropin alfa kit

NDC 0052-0315-10

10-mL multidose vial
with 10-mL vial of solvent

Pregnyl[®]

(chorionic gonadotropin
for injection USP)

10,000
USP units/vial

For Intramuscular
Injection Only

Rx only

Store at controlled room temperature 15-30°C (59-86°F).
Reconstituted solution is stable for 60 days when refrigerated.

Manufactured for: Merck Sharp & Dohme Corp., a subsidiary of
MERCK & CO., INC.
Whitehouse Station, NJ 08889, USA

Pregnyl[®] manufactured by: Baxter Oncology GmbH,
Halle 33790, Germany

Pregnyl Solvent manufactured by: Baxter Pharmaceutical Solutions LLC,
Bloomington, IN 47403, USA

Human Chorionic Gonadotropin (active ingredient)

Made in The Netherlands. Formulated in Germany.

Open At Other End



N 3 0052-0315-10 4



For Intramuscular
Injection Only

10,000
USP units/vial

(chorionic gonadotropin
for injection USP)

Pregnyl[®]

GTIN: 00500520315104

NDC 0052-0315-10

10-mL multidose vial
with 10-mL vial of solvent

Pregnyl[®]

Each vial of sterile dried
powder contains:
10,000 USP units of chorionic
gonadotropin with 5 mg
monobasic sodium phosphate
and 4.4 mg dibasic sodium
phosphate, pH adjusted with
sodium hydroxide and/or
phosphoric acid if required.

Each 10-mL vial of

PREGNYL® (chorionic gonadotropin for injection USP) is a highly purified pyrogen-free preparation obtained from the urine of pregnant females. It is standardized by a biological assay procedure. It is available for intramuscular injection in multiple dose vials containing 10,000 USP units of sterile dried powder with 5 mg monobasic sodium .

Mixing and Administration of hCG and Progesterone - SART



The action of human chorionic gonadotropin (hCG) is virtually identical to that of pituitary LH, although hCG appears to have a small degree of FSH activity as well. . 5000 USP units every second day for 4 injections. 15 injections for 500 to 1000 USP units over a period of 6 weeks. . PREGNYL is a white, dry powder / cake. The solvent is a .

Human chorionic gonadotropin (HCG) (injectable) - Drugs. com



PREGNYL® (chorionic gonadotropin) for injection is a sterile, dried powder for intramuscular injection after reconstitution. Each multiple-dose vial is only for use in one patient and contains 10,000 USP units of chorionic gonadotropin with dibasic sodium phosphate (4.4 mg) and monobasic sodium phosphate (5 mg).

PDF Dosing Instructions for hCG (Novarel, Pregnyl, Human Chorionic .



Dosing Instructions for hCG (Novarel, Pregnyl, Human Chorionic Gonadotropin) MEDICATION
DOSE: 10,000 units hCG: * IF YOU HAVE ONE 10,000IU VIAL: 1. Draw out 1cc/mL of water using the 3ml 18g 1 ½" needle/syringe and inject into powder vial. 2. Once medication has dissolved completely draw out ENTIRE 1cc/mL of mixture. 3.

Pregnyl (Human chorionic gonadotrophin) Drug / Medicine Information



Treatment with Pregnyl (hCG) can cause the body to produce substances that act against hCG (antibodies to hCG). . The pack contains clear glass vials with 1500 or 5000 IU of human chorionic .

Pregnyl® (chorionic gonadotropin) for injection - DailyMed



PREGNYL® (chorionic gonadotropin) for injection is a sterile, dried powder for intramuscular injection after reconstitution. Each multiple-dose vial is only for use in one patient and contains 10,000 USP units of chorionic gonadotropin with dibasic sodium phosphate (4.4 mg) and monobasic sodium phosphate (5 mg).

DailyMed - PREGNYL- choriogonadotropin alfa kit

NDC 0052-0315-10

10-mL multidose vial
with 10-mL vial of solvent

Pregnyl[®]

(chorionic gonadotropin
for injection USP)

10,000
USP units/vial

For Intramuscular
Injection Only

Rx only

Store at controlled room temperature 15-30°C (59-86°F).
Reconstituted solution is stable for 60 days when refrigerated.



Manufactured by: Merck Sharp & Dohme Corp., a subsidiary of
MERCK & CO., INC.
Whitehouse Station, NJ 08889, USA

Pregnyl[®] manufactured by: Baxter Oncology GmbH,
Halle 33790, Germany

Pregnyl Solvent manufactured by: Baxter Pharmaceutical Solutions LLC,
Bloomington, IN 47403, USA

Human Chorionic Gonadotropin (active ingredient)

Made in The Netherlands. Formulated in Germany.

Open At Other End



N 3 0052-0315-10 4



For Intramuscular
Injection Only

10,000
USP units/vial

(chorionic gonadotropin
for injection USP)

Pregnyl[®]

GTIN: 00300520315104

NDC 0052-0315-10

10-mL multidose vial
with 10-mL vial of solvent

Pregnyl[®]

Each vial of sterile dried
powder contains:
10,000 USP units of chorionic
gonadotropin with 5 mg
monobasic sodium phosphate
and 4.4 mg dibasic sodium
phosphate, pH adjusted with
sodium hydroxide and/or
phosphoric acid if required.

Each 10-mL vial of

The action of human chorionic gonadotropin (hCG) is virtually identical to that of pituitary LH, although hCG appears to have a small degree of FSH activity as well. . PREGNYL is a white, dry powder / cake. The solvent is a clear and colorless aqueous solution. . chorionic gonadotropin 10000 UNT/ML Injectable Solution: SCD: 3: 896856 .

PDF Human Chorionic Gonadotropin (hCG) Instructions - PatientPop

Dual trigger with combination of gonadotropin-releasing hormone agonist and human chorionic gonadotropin significantly improves the live-birth rate for normal responders in GnRH-antagonist cycles

Ming-Huei Lin, M.D.,^{a,b} Frank Shao-Ying Wu, M.D.,^c Robert Kuo-Kuang Lee, M.D.,^{a,d} Sheng-Hsiang Li, Ph.D.,^e Shyr-Yeu Lin, M.D.,^a and Yuh-Ming Hwu, M.D.^{a,f}

^a Department of Obstetrics and Gynecology, Mackay Memorial Hospital, ^b Mackay Medicine, Nursing, and Management College, ^c Department of Obstetrics and Gynecology, Taipei City Hospital, Heping-Fuyou Branch, ^d Department of Obstetrics and Gynecology, Taipei Medical University, ^e Department of Medical Research, Mackay Memorial Hospital, and ^f Mackay Medical College, Taipei, Taiwan

Objective: To investigate whether dual triggering of final oocyte maturation with a combination of gonadotropin-releasing hormone (GnRH) agonist and human chorionic gonadotropin (hCG) can improve the live-birth rate for normal responders in GnRH-antagonist in vitro fertilization/intracytoplasmic sperm injection (IVF-ICSI) cycles.

Design: Retrospective cohort study.

Setting: Infertility unit of a university-affiliated medical center.

Patient(s): Normal responders to controlled ovarian hyperstimulation who were undergoing IVF-ICSI with a GnRH antagonist protocol.

Intervention(s): Standard dosage of hCG trigger (6,500 IU of recombinant hCG) versus dual trigger (0.2 mg of triptorelin and 6,500 IU of recombinant hCG).

Main Outcome Measure(s): Live-birth, clinical pregnancy, and implantation rates per cycle.

Result(s): A total of 376 patients with 378 completed cycles with embryo transfer were enrolled (hCG trigger/control group: n = 187; dual trigger/study group: n = 191). The dual trigger group demonstrated statistically significantly higher implantation (29.6% vs. 18.4%), clinical pregnancy (50.7% vs. 40.1%), and live-birth (41.3% vs. 30.4%) rates as compared with the hCG trigger group. There was no statistically significant difference in terms of patient demographics, cycle parameters, or embryo quality.

Conclusion(s): Dual trigger of final oocyte maturation with a GnRH-agonist and a standard dosage of hCG in normal responders statistically significantly improves implantation, clinical pregnancy, and live-birth rates in GnRH-antagonist IVF cycles. (Fertil Steril® 2013;100:1296-302. ©2013 by American Society for Reproductive Medicine.)

Key Words: Dual trigger, GnRH agonist, GnRH antagonist, normal responders

Discuss: You can discuss this article with its authors and with other ASRM members at <http://fertstertforum.com/linmh-dual-trigger-gnrh-agonist-antagonist/>



Use your smartphone to scan this QR code and connect to the discussion forum for this article now.*

* Download a free QR code scanner to scan for "QR codes" in your smartphone's app store or app marketplace.

Received December 19, 2012; revised and accepted July 18, 2013; published online August 28, 2013.
M.-H.L. has nothing to disclose. F.-S.-Y.W. has nothing to disclose. R.-K.-K.L. has nothing to disclose.
S.-H.S.L. has nothing to disclose. S.-Y.L. has nothing to disclose. Y.-M.H. has nothing to disclose.
Reprint requests: Yuh-Ming Hwu, M.D., Department of Obstetrics and Gynecology, Mackay Memorial Hospital, No. 92, Zhongshan North Road, Section 2, Zhongshan District, Taipei City 104, Taiwan
(E-mail: hwu4416@yahoo.com.tw)

Fertility and Sterility® Vol. 100, No. 5, November 2013:0015-0282/\$36.00
Copyright ©2013 American Society for Reproductive Medicine, Published by Elsevier Inc.
<http://dx.doi.org/10.1016/j.fertnstert.2013.07.1976>

Substituting human chorionic gonadotropin (hCG) with gonadotropin-releasing hormone (GnRH) agonist for triggering the final oocyte maturation was first introduced by Gonen et al. (1) more

HCG, Profasi, Novarel, and Pregnyl are all the same medication. Each comes with a 10-cc bottle of sterile water and a bottle of powder. Mix with an 18 gauge 1 ½" needle. You only need 1 cc of water to mix with the powder. Mix well. Change to a 25 gauge 1 ½" needle for the injection. Inject all of the medication.

Chorionic Gonadotropin (Human) - DrugBank Online



PREGNYL® (chorionic gonadotropin for injection, USP) is a highly purified pyrogen-free preparation obtained from the urine of pregnant females. It is standardized by a biological assay procedure.

Pregnyl® (chorionic gonadotropin for injection, USP) - DailyMed



5000 iu Order Yours Now Or Call Us Today! We Supply HCG At Wholesale Price. Same Day Shipping.

- <https://groups.google.com/g/tinybreath/c/eTXFQ99XE0c>
- <https://groups.google.com/g/flexgenesis/c/A6bxy2h42rY>
- https://colab.research.google.com/drive/1XGgn8ppVKsPA4ZxEwbZhq_3rtMgUo3r