



#1 What's up bros. Okay, so the topic of discussion is Super DMZ 2.0 by Blackstone Labs. My older brother has just gotten back into the gym to be my new workout partner. He's has not been in a gym for a least a year. When he did workout consistently he was real big into Pro Hormones.



🔗🔗🔗 BUY STEROIDS ONLINE 🔗🔗🔗

WTF is clomid, and is it illegal? | IronMag Labs Forums



I TOOK CLOMID

Here's what happened.



The purpose of this article is to report a case of Super DMZ Rx 2.0-induced cholestatic jaundice in an attempt to emphasize the toxic effects of methylstenbolone and dymethazine on the biliary system and hepatocytes. Go to: Case Report


Kaotic's Super- DMZ RX 2.0 Log



So just received the new Super-DMZ 2.0 in the mail today. However I will be starting tomorrow. After a 6 week layoff from the gym due to sickness, ready to start back up and put on the mass that was lost. Starting stats, weight this morning on an empty stomach was 181lbs. So during this month I will be using this product to bulk. Some products that will be used along with SUPER-DMZ 2.0 is the .

Super DMZ | Evolutionary Steroids Research Forums



IronMagLabs 

SUPER DMZ 3.0

FOR ANABOLIC COMPLEX: IRON, ZINC,
MANGANESE, MAGNESIUM, COPPER, AND MANGANESE
CHLORIDE AND ASH

60 CAPSULES
DIETARY SUPPLEMENT

Super DMZ RX 2.0 by Iron Mag Labs (same as BlackStone Labs) is the ultimate prohormone stack that will give you massive dry muscle gains! Each pill of Super DMZ RX 2.0 gives you 10 mg of 2,17a-dimethyl-17b-hydroxy-5a-androst-1-en-3-one (Methylstenbolone) and 10 mg of 17b-hydroxy 2a,17b-dimethyl 5a-androstan 3-one azine (Dymethazine).

(PDF) Cholestatic Jaundice With the Use of . - ResearchGate

Mullish et al. *BMC Gastroenterology* 2014, **14**:60
<http://www.biomedcentral.com/1471-230X/14/60>



CASE REPORT

Open Access

Severe cholestatic jaundice after a single administration of ajmaline; a case report and review of the literature

Benjamin H Mullish^{1,2*}, Rishi K Fofaria¹, Belinda C Smith¹, Kirsty Lloyd², Josephine Lloyd², Robert D Goldin² and Ameet Dhar¹

Abstract

Background: Ajmaline is a pharmaceutical agent now administered globally for a variety of indications, particularly investigation of suspected Brugada syndrome. There have been previous reports suggesting that repetitive use of this agent may cause severe liver injury, but little evidence exists demonstrating the same effect after only a single administration.

Case presentation: A 33-year-old man of Libyan origin with no significant past medical history underwent an ajmaline provocation test for investigation of suspected Brugada syndrome. Three weeks later, he presented with painless cholestatic jaundice which peaked in severity at eleven weeks after the test. Blood tests confirmed no evidence of autoimmune or viral liver disease, whilst imaging confirmed the absence of biliary tract obstruction. A liver biopsy demonstrated centrilobular cholestasis and focal rosetting of hepatocytes, consistent with a cholestatic drug reaction. Over the course of the next few months, he began to improve clinically and biochemically, with complete resolution by one year post-exposure.

Conclusion: Whilst ajmaline-related hepatotoxicity was well-recognised in the era in which the drug was administered as a regular medication, clinicians should be aware that ajmaline may induce severe cholestatic jaundice even after a single dose administration.

Keywords: Ajmaline, Drug-induced liver injury, Brugada syndrome, Liver, Pathology

Background

Ajmaline is an alkaloid agent that was first isolated from the roots of *Rauwolfia serpentina* [1], and is classified as a class Ia antiarrhythmic. It has a number of different clinical indications for its use, with the major one at present being to elicit the characteristic ST segment changes on electrocardiogram (ECG) in patients suspected of having type I Brugada syndrome [2]. It has been used previously as maintenance treatment for different arrhythmias including atrial fibrillation in patients with Wolff-Parkinson-White syndrome and also in

patients with ventricular tachycardia [3]. These, however, are now relatively rare indications for its use.

Although ajmaline administration appears to be generally safe, there have been previous reports of apparent drug-induced liver injury (DILI) related to its use. Some of these reports, however, were hampered by methodological flaws, and many of them were described in the era prior to easily-accessible serological confirmation/exclusion of other liver insults, e.g. chronic viral hepatitis. Furthermore, there is to date only very scant evidence of ajmaline causing liver injury after only a single administration, the predominant means in which the drug is delivered at present. We here present an unusual case of severe cholestatic jaundice occurring after only a single administration of ajmaline.

* Correspondence: b.mullish@imperial.ac.uk

¹Section of Hepatology, Department of Medicine, St Mary's Hospital, Imperial College London, London, UK

²Section of Hepatology and Gastroenterology, Imperial College London, St Mary's Hospital Campus, 10th floor, QEOM building, South Wharf Road, Paddington, London, UK

Full list of author information is available at the end of the article



© 2014 Mullish et al.; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly credited. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.

Can i stack lgd 4033 with Super DMZ 2.0 ? (It's DMZ 10mg and M Sten 10mg mix) Will it destroy my liver? What do you lads think? Sort by: Open comment sort options Add a Comment [deleted] • 3 yr. ago The LGD won't be too bad on the liver but the others will be extremely tough.

Cholestatic Jaundice With the Use of Methylstenbolone and Dymethazine .

Article

Cholestatic Jaundice With the Use of Methylstenbolone and Dymethazine, Designer Steroids Found in Super DMZ Rx 2.0 "Nutritional Supplement": A Case Report

Journal of Investigative Medicine High Impact Case Reports
1-4
© 2014 American Federation for Medical Research
DOI: 10.1177/2324709614532800
jic.sagepub.com
SAGE

Priscilla Agbenyefia, BA¹, Christina A. Arnold, MD¹, and Robert Kirkpatrick III, MD¹

Abstract

"Nutritional supplements" that promise an increase in muscle mass and strength are becoming a go to item as enhancing one's physical appearance becomes a more important part of our society. This is alarming because many of these nutritional supplements rely on androgen precursors to deliver their promises, without adequately informing consumers of the potential side effects of such agents. These products may conceal the presence of potent androgens to avoid regulatory sanctions and become more appealing to consumers. Recent reports have shown that some products marketed as "nutritional supplements" have been found to contain androgenic anabolic steroids. Methylstenbolone and dymethazine are new androgenic anabolic steroids currently gaining popularity among body builders for their performance-enhancing properties and rapid effects on muscle mass. These agents are found together in Super DMZ Rx 2.0, a "dietary supplement" for bodybuilders. Here we report the first case of Super DMZ Rx 2.0-induced cholestatic jaundice in a 26-year-old previously healthy Caucasian male, who took the supplement according to the manufacturer's instructions for 30 days.

Keywords

methylstenbolone, dymethazine, anabolic androgenic steroids, cholestatic jaundice, DILI

Introduction

A significant percentage of athletes and teenagers use androgenic anabolic steroids (AAS) in their everyday lives. In a study of 718 athletes from 92 Amsterdam fitness centers, 8.2% of the athletes reported using performance-enhancing drugs.¹ A study of American teenagers found similar results, with 6.6% of 3403 12th-grade students admitting to consumption of AAS.^{2,3} In addition, many over-the-counter dietary supplements that do not list AAS as ingredients may contain AAS, putting consumers at risk for potential adverse effects.⁴ An international study conducted between 2000 and 2001 on 634 nutritional supplements purchased in 13 different countries revealed that 15% of putative nutritional supplements contain AAS.⁵

2,17 α -Dimethyl-5 α -androsta-1-en-17 β -ol-3-one (methylstenbolone) is an AAS used by many "bodybuilding supplement" manufacturers. It has been compared to Superdrol (methyldrostanolone), a competitor that was recently banned by the Food and Drug Administration. Methylstenbolone is currently not a controlled substance in the United States. It is very potent and is prized among its users for giving them a

hard, dense, and dry muscular appearance.⁶ 17 β -Hydroxy 2 α ,17 β -dimethyl 5 α -androstan 3-one azine (dymethazine), also currently not a controlled substance in the United States, is used in body building supplements by manufacturers such as iForce Nutrition. Dymethazine is a conjugate of 2 methyl-drostanolone residues and is very popular for its alleged myotropic effects.⁶ Drostanolone, stenbolone, and "all related compounds" are banned substances on the World Anti-Doping Agency list and thus are banned for sports competition.⁷

Super DMZ Rx 2.0 (Blackstone Labs), the "Hardening Stack," combines 10 mg of methylstenbolone and 10 mg of dymethazine into a capsule to be taken orally.⁸ Consumers of this "dietary supplement" are advised by the manufacturer to take 1 to 2 capsules daily, preferably with food, with 2

¹Ohio State University, Columbus, OH, USA

Corresponding Author:

Priscilla Agbenyefia, Ohio State University College of Medicine, 370 W 9th Ave, Columbus, OH 43210, USA.
Email: priscilla.agbenyefia@osumc.edu

Stack," combines 10 mg of methylstenbolone and 10 mg of . . report the first case of Super DMZ Rx 2.0-induced cholestatic jaundice in a 26-year-old previously healthy Caucasian male,

Super dmz 2. 0 and trenabol stack critique | IronMag Labs Forums



Updated on: February 10, 2023 Supplements Guide To increase lean muscle mass and body strength, many bodybuilders choose super DMZ. Like you, many people get confused, about whether to choose DMZ 2. 0 or 3. 0. The main question is, DMZ 2. 0 Vs 3. 0, which one should you choose? Super DMZ 2. 0 is 2 potent steroid stack.

M1T vs Superdrol - AnabolicMinds



Now that's worth it. . the old Super DMZ 2. 0 + Alpha 1 Max stack from Blackstone Labs basically.
Reactions: 4gotlogin. Old Witch Well-known member. Awards 4. Mar 13, 2019 #5 M1T had similar but milder sides for me, blood pressure went up but not crazy spikes, got a bit tired sometimes but not all day long.

Pro-Hormone (Superdrol Dymethazine) compared to Methyltestosterone .



Hey everyone. i'm currently cutting natty, started the cut at 215, will probably get down to around 200. Starting in july i'm going to start my lean bulk. I have been back and forth on whether to run superdrol or super dmz 2.0 for the lean bulk so i figured why not get the best of both. i.

Super dmz 2.0 review, dmz prohormone stack - My Final Post

SUPER DMZ Prohormone Sack



6.5 Week Prohormone Cycle

1,715 Mar 25, 2021 #1 Any one remember this stuff? The shit was legit. Its long since been gone but i just noticed to amino Asy now offers DMZ and M-sten. . Which If I remember right were the two main ingredients in Super DMZ 2.0 at 10 mgs a piece. But anyone remember that stuff?

Super DMZ 2.0 | Anabolic Steroid Forums



A Super DMZ RX 2.0 stack would work out great for gains. Just don't stack it with another methyl compound. Trenazone would be a good product to stack it with. Super DMZ 2.0 Review Now, time to share my personal experience with Super DMZ RX 2.0. It was last fall and decided on a six week cycle. I took two capsules the whole way out and it .

S DMZ 2.0 + LMG + ACS + UM RX + OS! What do you think? Beast Stack?




I have a stack ready to go for super dmz 2.0. I am hesitant to start it, because everything I have read recommends running clomid post cycle. The reason I am using prohormones is because they are LEGAL. I do not want to have to obtain an illegal drug post cycle just to get my libido back post.

Our Review of Super DMZ RX 2.0 - Iron Mag Labs - New Prohormones



Aug 1, 2013 #1 So last time, I have skin bursting gains with sdmz 2.0 and i have one bottle left, so i decided to give it a shot with trenabol in october. here is my cycle as laid out, any suggestion will be warmly welcomed. week 1-6 sdmz 2.0 0/0/2/2/2/2 trenabol 4/4/4/4/4/4 ASC 4/4/4/4/4/4 A matrix 2/2/2/2/2/2 week 6-10 ACS 2/2/2/2

Dmz 2.0 Vs 3.0: Is There Any Difference? - RAD Remedy




Super dmz 2.0 review. Retains lean muscular tissue when reducing calories. Is incredibly potent, yet mild good enough for both men and women, super dmz 2.0 review. Much safer in comparison to standard ANAVAR! This product is a stimulant and appetite suppressant that is only suggested for weight loss, super dmz 2.0 review. Dmz prohormone stack

stacking superdrol with SDMZ 2.0 - AnabolicMinds



DIETARY SUPPLEMENT

IronMagLabs 

SUPER-DMZ 

2.0

LEAN MUSCLE MASS, HARDNESS AND STRENGTH

60 CAPSULES

Here is the Stack! Super DMZ Rx 2. 0 LGI Supplements LMG-25 IronMagLabs Advanced Cycle Support Ultra Male Rx by IronMagLabs Organ Shield Here is the Cutting Agent I will use after stack! USP Labs Oxyelite Pro Super Thermo Dietary Supplement I have taken many stacks before like SOS 500.

- <https://publiclab.org/notes/print/46688>
- <https://publiclab.org/notes/print/42838>
- <https://groups.google.com/g/noyuqzj/c/k7iwH-PnVng>