

28 Jul 18, 2023 #1 Could someone share an opinion with me who may have experience with both compounds or who may have even had a prostate issue in the past. Im on doc prescribed TRT 200mg per week and have been for years. A number of years ago I decided to add in a light dosage of masteron enanthate at 200mg per week to my routine.



**??? VISIT OUR ONLINE STORE ???** 

### Masteron Vs Primobolan advice (prostate issue in past from masteron)



Two DHT derivatives, Primobolan is known for it's slow mass building abilities, while Masteron is known for it's cosmetic effects. Dose\*. Duration. Goals. Specific effects. Side effects. Ancillaries required (if any) Constrains (price, availability, gender limitations, etc) Ease of use (for beginners, experienced, etc)

# Test+EQ+Primo tips for this cycle? - EliteFitness



Similar to test enanthate. Running a cycle of Masteron enanthate will require a 2x weekly injection frequency. Over the years Masteron has become known as a relatively 'weak' steroid. However, Masteron cannot be compared to the likes of deca, or tren. Masteron works best as 'the icing on the cake' so to speak.

### Test,Primo,Masteron cycle! What would you do? - MESO-Rx Forum

argely depen		ild cutting plan or for the purpose o will find such a plan is very well-to				
Weel	Masteron	Testosterone Cypionate	Алах	ar -	Arimidex	
	300mg/wk	200mg/wk	30-50mg/ed	0.5mg/2-	3s/wk	
2	300mg/wk	200mg/wk	30-50mg/ed	0.5mg/2-	3x/wk	
1	300mg/wk	200mg/wk	30-50mg/ed	0.5mg/2-	3x/wk	
	300mg/wk	200mg/wk	30-50mg/ed	0.5mg/2-	7x/wk	
5	300mg/wk	200mg/wk	30-50mg/ed	0.5mg/2-	3x/wk	
5	300mg/wk	200mg/wk	30-50mg/ed	0.5mg/2-	3x/wk	
,	300mg/wk	200mg/wk	30-50mg/ed	0.5mg/2-	0.5mg/2-3x/wk	
	300mg/wk	200mg/wk	30-50mg/ed	0.5mg/2	2x/wk	
n intermedia noderate pla	n listed above. The intermediate	for cutting or athletic performance. Masteron cycle is perfect for all le	vels of <u>steroid use</u> expe	rience with the exception		
to intermedia noderate pla nave steroid o	te Masteron cycle can be used I n listed above. The intermediate se experience, with or without I	Masteron cycle is perfect for all le Masteron experience, the following	vels of <u>steroid use</u> expe Masteron cycle can be	rience with the exception implemented.	being first time <u>steroid users</u> . If	
in intermedia noderate pla tave steroid ( Week	te Masteron cycle can be used in Isted above. The intermediate se experience, with or without in Testosterome Propioe	Masteron cycle is perfect for all le Masteron experience, the following	vels of <u>steroid use</u> expe	rience with the exception	being first time <u>steroid users</u> . If Arimidex	
ka intermedia noderate pia tave steroid ( Week	te Masteron cycle can be used i h listed above. The intermediate se experience, with or without i Testissterone. Propioe 100mg/cod	Masteron cycle is perfect for all le Masteron experience, the following	vels of <u>steroid use</u> expe Masteron cycle can be	rience with the exception implemented.	being first time <u>steroid users</u> . If Arimidex 0.5mg/eod	
n intermedia noderate pla nave steroid ( Week 1	te Masteron cycle can be used in Isted above. The intermediate se experience, with or without in Testosterome Propioe	Masteron cycle is perfect for all le Masteron experience, the following	vels of <u>steroid use</u> expe Masteron cycle can be	rience with the exception implemented.	being first time <u>steroid users</u> . If Arimidex	
An intermedia moderate pla have steroid ( Week 1 2 3	te Masteron cycle can be used i n listed above. The intermediate se experience, with or without Testosterone Propioe 100mg/eod 100mg/eod	Masteron cycle is perfect for all le Masteron experience, the following	vels of <u>steroid use</u> expe Masteron cycle can be	rience with the exception implemented.	being first time <u>steroid users</u> . If Arimidex 0.5mg/eod 0.5mg/eod	
An intermedia moderate pla have steroid s Week 1 2 3 4	te Masteron cycle can be used i histed above. The intermediate se experience, with or without Instonterone. Propior 100mg/eod 100mg/eod	Masteron cycle is perfect for all le Masteron experience, the following	vels of <u>steroid use</u> expe Masteron cycle can be	rience with the exception implemented.	being first time <u>steroid users</u> . If Arimidex 0.Smg/eod 0.Smg/eod 0.Smg/eod	
An intermedu moderate pla have steroid ( Week 1 2 3 4 5	In Masteron cycle can be used in listed above. The intermediate se experience, with or without Testosterone. Propior 100mg/ed 100mg/ed 100mg/ed	Hasteron cycle is perfect for all le Masteron experience, the following sate Trenbolone: Acetate	vels of <u>steroid use</u> expe Masteron cycle can be	rience with the exception implemented.	being first time <u>steroid users</u> . If Arimidex 0.Smg/eod 0.Smg/eod 0.Smg/eod	
An intermedia moderate pla nave steroid s Week 1 2 3 4 5 5 5	te Masteron cycle can be used listed above. The intermediate se experience, with or without i <u>Testonsterone. Propioe</u> 100mg/eed 100mg/eed 100mg/eed 100mg/eed	Masteron cycle is porfect for all le Masteron experience, the following salte Trembolome Acetate 100mg/rod	vels of <u>steroid use</u> expe Masteron cycle can be	rience with the exception implemented.	being first time <u>steroid users</u> . U Arimidex 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod	
An intermedia moderate pla have steroid o Week 1 2 3 4 5 5 6 7	te Masteron cycle can be used histed above. The intermediate se experience, with or without <u>Testosterone. Propior</u> 100mg/eed 100mg/eed 100mg/eed 100mg/eed	Hasteron cycle is porfect for all le Masteron experience, the following saite Trenbolome Acetate 200mg/rod 100mg/rod 100mg/rod	vels of <u>staroid use</u> expr Masteron cycle can be Masteron	rience with the exception implemented. Winntrol	being first time <u>steroid users</u> . If Arimidex 0.5mg/cod 0.5mg/cod 0.5mg/cod 0.5mg/cod 0.5mg/cod 0.5mg/cod	
An intermedia moderate pla moderate pla tave steroid ( Wreek 1 2 3 4 5 6 7 7 8	te Masteron cycle can be used i listed above. The intermediate se experience, with or without Insituatement. Propion 100mg/eod 1	Masteron cycle is porfect for all le Masteron experience, the following salls Trembolome Acetate 100mg/rod 100mg/rod 100mg/rod 100mg/rod	vels of <u>staroid use</u> expr Masteron cycle can be Masteron Masteron	rience with the exception implemented. Winntrol	being first time <u>steroid users</u> . If Arimidex 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod	
An intermedia moderate pla have steroid o	In Masteron cycle can be used in Isbed above. The intermediate se experience, with or without i <u>Testenterone. Propior</u> 100mg/ecd 100mg/ecd 100mg/ecd 100mg/ecd 100mg/ecd 100mg/ecd	Masterion cycle is porfect for all le Masterion experience, the following mate Trembolome Acetatic 100mg/rod 100mg/rod 100mg/rod	veis of <u>steroid use</u> expe Masteron cycle can be Masteron 100mg/cod 100mg/cod	rience with the exception i implemented. Wrimitrol Sümgled Sümgled	being first time <u>steroid users</u> . If Arimidex 0.5mg/cod 0.5mg/cod 0.5mg/cod 0.5mg/cod 0.5mg/cod 0.5mg/cod 0.5mg/cod 0.5mg/cod	
An intermedia moderate pla have steroid s Week 1 2 3 4 5 6 7 8 9	In Masteron cycle can be used in listed above. The intermediate se experience, with or without. <u>Testesterone: Propise</u> 100mg/eed 100mg/eed 100mg/eed 100mg/eed 100mg/eed 100mg/eed 100mg/eed 100mg/eed	Hasteron cycle is perfect for all le Masteron experience, the following sale Trenbolome Acetate 100mg/red 100mg/red 100mg/red 100mg/red	vels of <u>staroid use</u> exp Masteron cycle can be Masteron 100mg/eod 100mg/eod	rience with the exception i implemented. Winstrot S0mg/ed S0mg/ed S0mg/ed	being first time <u>steroid users</u> . If Arimidex 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod 0.5mg/eod	

Masteron vs. Primobolan Please share your experience if you've used both steroids. Use the parameters: . I've run Injectable Primo Enanthate from 400 to 650mg per week. . So jump on 300 Test 300-600 Deca 600-1g Primo and grow as much as possible let's say. . 2x 16w cycles followed by 2x4-6w cruises last 16w cycle should be 250-300 Test .

# Masteron Cycle (Drostanolone Guide) - Steroid Cycles



Masteron and Primobolan create perfect conditions for bulking and promoting the impact of testosterone injections. Testosterone will work as a booster, significantly increasing profits from the cycle. This stack is not an ideal solution if you want huge bulks, but it'll work effectively in maintaining and definition.



Cycle: 10 week cutting cycle with Primobolan and Masteron - eroid s

Treat our first offering as a "test" run, following which you may integrate the enanthate variant and increase your testosterone dose as we will soon specify. Beginner Masteron Cycle This masteron / test cycle is going to be perfect for those who want to create sustainable lean muscle tissue.

# What is Masteron Enanthate? | Mast | Bodybuilding | TMuscle



What kind of Primobolan are you running? Enanthate, acetate or oral? For long esters, I'd do 1cc of each, twice a week. . Primobolan -400mg/w 12 weeks Masteron E -200mg/w week 6-12 Could I supplement with low doses of dbol in the first 4 weeks to get some extra gains before pollishing of with masteron? Or will test+primo do the trick? Zinergy .

# [Compound] Primobolan vs. Masteron : r/steroids - Reddit



3. Masteron Enanthate Cycle. This next cycle is for those of you using Masteron Enanthate. With this cycle, you should inject yourself twice each week. Dosages here should be between 400mg and 600mg per week. So, to make it easy for you, your first injection of the week should be 200mg or 300mg, and your second injection should also be 200mg or .



#### [Compounds] Masteron vs Primobolan : r/steroids - Reddit

[1] Now, when you compare Primobolan to other powerful steroids, including tren and dianabol; Primobolan's actually pretty mild, with low androgenic/anabolic ratings. [2] Because of this many of the 'hardcore' bodybuilders tend to use more toxic steroids, because on paper it's a weaker compound.

## First Cycle: Primo Depot vs Test E - Pharma / TRT - T NATION



Primobolan will be taken for its ability to work in low calorie environment along with masteron to keep the estrogen levels low which can be elevated during dieting and to preserve muscle. PCT will be just with clomid. First week: 100mg, second and third week - 50mg. I may run it for one more week or even longer if I feel the need for it.

### Masteron Cycle - 5 Most Important Things to Know



Free Advice The correct Way to Stacking Cycle with Primobolan Primobolan steroid is also known as Methenolone, available in injectable and oral forms. This steroid is widely used by athletes, bodybuilders, and powerlifters for muscle mass growth and to improve overall physical strength and performance.

## Primobolan (Metenolone Enanthate) - Evolutionary



Primobolan is one of few steroids that is ideal for both bulking and cutting. The truth be told, there really is no such things as "bulking steroid" or a "cutting steroid" it's just that some generate more water retention than others.



#### Masteron Cycle: Results, Dosage, And Side Effects! - Muscle and Brawn

I've read that Masteron (Drostanolone proprionate) and Primobolan (Methenolone Enanthate) are very similar. . even though they are different drugs. . My source has Masteron (proprionate) 150mgs and

Primobolan (enanthate) 100mgs but the Primo is about 25 bucks more. . for a lower dose and a longer ester. . which means less of the toal drug delivered.



# How To Cycle Masteron Correctly for Optimal Results| Masteron

Masteron Enanthate (Drostanolone Enanthate) These are simple the Drostanolone compound with a different ester attached to control the release rate and the half life of the steroid once its in the body.

### Primobolan Cycles (Methenolone Guide) - Muscle and Brawn




3 - It can make E2 Management tricky. Masteron does not reduce the levels of Estrogen. It only masks the sides. So, there can be a fake sense of security while you are running Mast, which can result in your E2 levels increasing to unsafe levels. A lot of people are caught unaware of high E2 levels while running Masteron because they never realize how high their E2 has risen to.

# Primobolan Cycle (Methenolone Guide) - Steroid Cycles

15-We	ek Mass Builder					
Ingredients	2 (10mL) bottles 100	5 (10mL) bottles 250mg/mL T. cypionate 2 (10mL) bottles 100mg/mL Durabolin 300 Smg tabs stanozolol				
Comments:	serves as a bridge be	lean bulking cycle, with etween both treatment p t does so without pushin	eriods, giving the liver time	alpha alkylated orals. Durabo to detoxify. This cycle pushes i		
Week	Cypionate	Dbol	Durabolin	Winstrol		
1	750 mg	40 mg				
2	750 mg	40 mg	1			
3	750 mg	40 mg	1			
4	750 mg	40 mg	Ĩ			
5	750 mg	40 mg	]			
6	750 mg		400 mg			
7	750 mg		400 mg			
8	750 mg		400 mg			
9	750 mg		400 mg			
10	750 mg		400 mg			
11	750 mg			40 mg		
12	750 mg			40 mg		
13	750 mg			40 mg		
14	750 mg			40 mg		
15	750 mg			40 mg		

Less known is the existence of an Enanthate ester of Masteron . Masteron vs. Primobolan. A big problem with Primobolan (even more so than Masteron) is how often it's faked. . regular PCT is often not effective at restoring Test levels. Ongoing TRT or testosterone cruising is recommended after using Trenbolone. Masteron PCT.

#### Masteron (Drostanolone) Steroid 101: The Bodybuilder's Guide



#1 primus New Member These compounds are hard to get, expensive and often faked. If you could get enough for a 16 week cycle. what's the most beneficial way to run a cycle for lean muscle gains?

Assume everything you need is on the table and injection frequency 2-3 times weekly.

# Metenolone enanthate - Wikipedia



I know that the consensus on first cycles is to run Test E or Cyp at about 400-500mg/week for about 10-12 weeks along with a test taper or traditional PCT. And of course with some adex and maybe some nolva on hand! However, wouldnt a cycle of Primobolan Depot at about 200-300mg/week for 8-12 weeks be a more safer, cost effective, and maybe a more overall effective cycle for a beginner? With .

'trt' + masteron e / primobolan as a base | Evolutionary Steroids .



By: Juice Last updated: Oct 8, 2023 SteroidCycle is intended for informational purposes only and does not take the place of professional medical advice. Primobolan (Methenolone) is a unique steroid in several ways including that it's one of the few you can get in both oral and injectable forms.

# Masteron VS Primobolan | EliteFitness Bodybuilding Forums



Primobolan (Methenolone enanthate) is a DHT based steroid that can be found in both oral and injectable forms. Like masteron, it will not aromatize into estrogen. Primo is usually sold in enanthate injectable form, and the oral version is not recommended because it is not 17 alpha alkylated; hence, oral primobolan is easily destroyed by the liver.

### Masteron vs. Primobolan - Evolutionary



Or 250 test + 200 primobolan e. From my readings and it's also person dependent, but essentially put it this way. I'll get estradiol bloods on 250 test. Thennn, I add in 200 mast enanthate. Few weeks later estradiol bloods. Im a very low aromatiser, I would prob require 500mg test to take 200mg masteron.



### **Testosterone Primobolan Masteron cycle - Athletway**

Metenolone enanthate, or methenolone enanthate, sold under the brand names Primobolan Depot and Nibal Injection, is an androgen and anabolic steroid (AAS) medication which is used mainly in the treatment of anemia due to bone marrow failure. It is given by injection into muscle. Although it was widely used in the past, the drug has mostly been discontinued and hence is now mostly only.

- https://publiclab.org/notes/print/46019
- https://player.soundon.fm/p/49ab5773-4292-440d-8638-3f2f7a7d3fa4
- https://publiclab.org/notes/print/49845