

1 Intro to automated testing in Go 2 Subtesting, skipping, and cleanup in the Go testing. T 3 Test your Go web apps with httptest 4 Mocks in Go tests with Testify Mock 5 Using Testify Mock in web clients. This blog post is adapted from an intro to testing talk I recently did at OrlanGo 's virtual meetup. You can find the slides in this GitHub .



 VISIT OUR ONLINE STORE 

Opleidingscentrum GO | Ede - Facebook



Validation of Eating Disorder Examination Questionnaire (EDE-Q) -Spanish Version- for Screening Eating Disorders The Spanish Journal of Psychology, vol. 15, núm. 2, 2012, pp. 817-824 .  
 (2007)studiedtheshort-term(5-14days)test-retest reliabilityoftheS-EDE-Qwith77monolingualLatina womenrecruitedfromthecommunity,andfoundSpearman  $r'$ s ranging from .

**PDF Redalyc. Validation of Eating Disorder Examination Questionnaire (EDE-Q).**

**Eating Disorder Examination Questionnaire (EDE-Q 6.0)**

The following questions are concerned with the past four weeks (28 days) only. Please read each question carefully. Please answer all questions. Thank you.

Questions 1 to 12: Please select the appropriate response for each question. Remember that the questions only refer to the past four weeks (28 days).

On how many of the past 28 days...

	No days	1-5 days	6-12 days	13-15 days	16-22 days	23-27 days	Every day
1. ...have you been deliberately trying to limit the amount of food you eat to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. ...have you gone for long periods of time (8 waking hours or more) without eating anything at all in order to influence your weight or shape?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. ...have you tried to exclude from your diet any foods that you like in order to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. ...have you tried to follow definite rules regarding your eating (for example, a calorie limit) in order to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. ...have you had a definite desire to have an empty stomach with the aim of influencing your shape or weight?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. ...have you had a definite desire to have a totally flat stomach?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. ...has thinking about food, eating, or calories made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. ...has thinking about shape or weight made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. ...have you had a definite fear of losing control over eating?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

We are an intermediary between you, the customer, and various laboratories and sampling points. Our tests are performed by, among others: Health Check Center. In the confirmation mail you will see who will perform the test for you. For questions and complaints about the results, you can contact the lab concerned.

# The eating disorder examination: reliability and validity of the .

Eat Weight Disord  
DOI 10.1007/s40519-016-0276-6



ORIGINAL ARTICLE

## The Eating Disorder Examination Questionnaire: reliability and validity of the Italian version

Simona Calugi<sup>1</sup> · Chiara Milanese<sup>2</sup> · Massimiliano Sartirana<sup>1</sup> · Marwan El Ghoch<sup>1</sup> ·  
Federica Sartori<sup>1</sup> · Eleonora Gecchek<sup>1</sup> · Andrea Coppini<sup>1</sup> · Cecilia Franchini<sup>1</sup> ·  
Riccardo Dalle Grave<sup>1</sup>

Received: 21 January 2016 / Accepted: 18 March 2016  
© Springer International Publishing Switzerland 2016

### Abstract

**Purpose** To examine the validity and reliability of a new Italian language version of the latest edition of the Eating Disorder Examination Questionnaire (EDE-Q 6.0).

**Methods** The sixth edition of the EDE-Q was translated into Italian and administered to 264 Italian-speaking inpatient and outpatient (257 females in their mid-20s) with eating disorder (75.4% anorexia nervosa) and 216 controls (205 females).

**Results** Internal consistency was high for both the global EDE-Q and all subscale scores. Test-retest reliability was good to excellent (0.66–0.83) for global and subscale scores, and for items assessing key behavioral features of eating disorders (0.55–0.91). Patients with an eating disorder displayed significantly higher EDE-Q scores than controls, demonstrating the good criterion validity of the tool. Confirmatory factor analysis revealed a good fit for a modified seven-item three-factor structure.

**Conclusions** The study showed the good psychometric properties of the new Italian version of the EDE-Q 6.0, and validated its use in Italian eating disorder patients, particularly in young females with anorexia nervosa.

**Keywords** Eating disorder · Questionnaire · Validity · Reliability · Italian translation · Psychometric characteristics

### Introduction

The Eating Disorder Examination Questionnaire (EDE-Q) [1, 2] has been developed as a self-report version of the full-length EDE, a well-established investigator-based interview that is considered the gold standard in assessment of eating disorder psychopathology [3–7]. The significant relationship between EDE and EDE-Q scores has been demonstrated in several comparative studies [1, 8, 9].

Like the EDE, the EDE-Q provides a global score based on four subscales (Restraint, Eating Concern, Shape Concern, and Weight Concern) designed to reflect the severity of the main features of eating disorder psychopathology. It also assesses key behavioral features of eating disorder, including binge eating, self-induced vomiting, laxative misuse, and excessive exercising. The questionnaire has been extensively studied, and its good psychometric properties have been consistently demonstrated [10, 11], with eating disorder patients scoring significantly higher on the global EDE-Q and subscales than controls [8, 12–16]. Furthermore, the EDE-Q has shown high internal consistency in both non-clinical [17–19] and clinical [20] samples, as well as good test-retest reliability [17, 21, 22], temporal stability [18, 19], convergent validity [8, 23], and sensitivity to change [9].

The four original subscales were clinically derived from patients with anorexia nervosa and bulimia nervosa, grouping together similar items [24], but were not empirically supported. However, the factor structure of the EDE-Q has been evaluated in clinical and non-clinical samples, with the original English version and with translated language versions of the questionnaire, using both exploratory factor analysis (EFA) and confirmatory factor analysis (CFA) [16, 20, 25–33], but results have been very conflicting, and none of these studies replicated the original four-factor structure of the EDE-Q.


✉ Simona Calugi  
sim-cal@libero.it

<sup>1</sup> Department of Eating and Weight Disorders, Villa Garda Hospital, Via Montebaldo, 89, 37016 Garda, Verona, Italy

<sup>2</sup> Department of Neurological and Movement Sciences, University of Verona, Verona, Italy

By adding go:build e2e to the top of the file, these tests do not run with go test, but are invoked with go test -tags e2e. This means maintainers and contributors can continue to do their daily work, with fast iterations. The tests are sped up dramatically by running in parallel using the t.Parallel() command.

## Microsoft Edge Cross Browser Testing



Responsive Testing. Adjust the screen-resolution on the fly or resize your browser to do responsive testing. No more VMs. No more VMs to be maintained or software to be installed. TestingBot has you covered. +5100 combinations. Instant access to multiple Microsoft Edge browsers, on Windows and macOS.

## PCR Test in Ede Netherlands - Wiki For Travel



If you are on vacation in Ede, Netherlands and have a fever, cough, lack of energy, loss of taste, loss of smell, problems breathing, sore throat, drippy nose, headaches, chest pains, or diarrhea, you should schedule a Covid test & stay in your hotel room until you receive the results. Please be considerate of those surrounding you.

## Speedtest.nl - Corona test with travel certificate



Covid rapid test in Ede Do you have minor Covid-19 complaints? and do you want to rule out being infected with Covid-19? Then a Covid 19 rapid test offers a solution. This way you can safely visit family and friends and go to work. Our Covid 19 rapid tests have been validated by the RIVM.

## Write end-to-end tests in Go (Golang) using httptest. Server




**GOLANG**  
**Testing**  
**&**  
**Commands**

Saiba como tirar proveito de dados empresariais sobre desempenho de redes. Use Speedtest em todos seus dispositivos com nossos aplicativos gratuitos para celular e computador.




## Speedtest by Ookla - Teste de Velocidade de Conexão da Internet



Opleidingscentrum GO, Ede, Netherlands. 143 likes · 2 talking about this · 57 were here. Koudetechniek - Opleidingscentrum go - Opleidingen koudetechniek: Monteur Koudetechniek - Servicetec

### | Covid-19 test



Now that we have the file naming out of the way I will show you the most basic example of code and the corresponding tests. I will leave some links that explain testing in Go much better then I will. mylib.  
go. package mylib import "fmt" func MyFunction(in string) (out string, err error) { out = fmt.  
Sprintf("Hello: %s", in) return out, nil }

## Willy's 2 Go | Ede - Facebook



Private: Rapid Antigen Test. € 29,95 - € 49,95 per test. Take advantage of group booking discounts now! Download your test result in the CoronaCheck app! International travel certificate (not accepted worldwide) Results within 30 minutes. Group booking discount of up to €20 per test.

## Internet Speed Test - HighSpeedInternet



Willy's 2 Go, Ede. 2,605 likes · 141 talking about this · 555 were here. Willy's 2 Go is een restaurant waar je echt indisch eten kan vinden. Kies je menu, de gerechten die


## Covid rapid test in Ede - Book Your Test • Planjecoronatest. nl



Objective: To examine the psychometric characteristics of the Italian language version of the latest edition of the eating disorder examination (EDE). Methods: An Italian version of the EDE (17th edition) was designed and administered to 185 in- and outpatients with eating disorders and 60 age-matched controls. Its internal consistency, inter-rater reliability, short-term (7-23 days) test .



# PCR Test Ede • International Travel Certificate • Planjecoronatest. nl



### Laboratory Certificate of Analysis

Clinical Partner: Assured Screening Sample Date: 11 Sep 2020 20:55  
 Sub-Client / Site: Private Sample Received Date: 12 Sep 2020  
 Patient Ref: JOHN SMITH (TEST) Date Tested: 12 Sep 2020  
 Patient DOB: 1/1/1900 Results Issued: 12 Sep 2020  
 Sample Barcode ID: ABC1234 Specimen Type: Swab

Test Parameter	Result
SARS-CoV-2 (COVID-19) RT-qPCR screen for active infection	<b>Positive</b>
<b>Test Specification</b>	
<p><b>Positive:</b> The sample tested positively for the presence of SARS-CoV-2 (COVID-19). It is therefore presumed that the patient has an active SARS-CoV-2 (COVID-19) infection. Patients should follow current government guidelines - isolate and arrange for confirmatory diagnostic testing and medical assistance from the NHS (UK) or HSE (Republic of Ireland) if required.</p> <p><b>Negative:</b> The sample did not react for the presence of SARS-CoV-2 (COVID-19). This indicates that, at the time of sampling, the patient is unlikely to have an active SARS-CoV-2 (COVID-19) infection.</p> <p><b>Inconclusive:</b> This means that the test instrument was unable to determine a positive or negative result with the required degree of accuracy. In such cases a retest is recommended.</p> <p><b>Fault:</b> The sample did not contain a detectable level of human genetic material. It is therefore not possible to draw a conclusion from the provided sample. In such cases a retest is recommended.</p> <p><b>Void:</b> A void sample is a sample received that is unable to be tested e.g., damaged in transport, label error etc.</p>	
<b>Analysis Notes:</b>	
<p>It should be noted that all results provide a momentary view and that an individual's health status may have changed since the sample specimen was taken. Screening is provided on a best endeavours policy based on the sample specimen supplied and does not provide a guarantee to the health status of individuals. Patients should follow current government guidelines. If the patient is symptomatic, isolate and arrange for confirmatory diagnostic testing and medical assistance from the NHS (UK) or HSE (Republic of Ireland) if required. This report should not be reproduced except in full.</p> <p>The above tests are carried out via CE-IVD certified testing kits using validated methods. Honeywell Group Ltd is carrying out these methods in line with ISO17025.</p>	
<b>Comments:</b>	
Passport No. 123456789	
Final Report	
Results Approved By:	Date: 12 Sep 2020
Name of Approver	

Page 1 of 1

Name and Registered Office: Honeywell Group Limited, Marine Enterprise Park, Marine Road, Barnard Castle, Easingwold, YO21 3BN, UK  
 Tel: +44(0) 1833 400000 Email: enquiries@assuredscreening.com Web: www.assuredscreening.com  
 Registered in England & Wales No. 8130541

We will perform end-to-end test in the standard hello\_world\_test. go file using the testing package. However, there is no problem to create a separate testing script working according to your own rules. In lines 11 and 12 we initialize a new httptest. Server with our handler and instruct it to close at the end of the test with the word defer.

## Test your Go web apps with httptest - DEV Community



Dr. Ab Faloun is a registered general practitioner, medical examiner and travel doctor. Choose our reliable PCR tests and travel certificate. In Ede you can go to the following address: Bunschoterplein 45, 6711CD Ede Make an appointment From €119 To €89 per test Save now €30 €89 Make an appointment Internationally recognized travel certificate

# Test-retest reliability of the eating disorder examination-questionnaire (EDE-Q) in a college sample

## Eating Disorder Examination Questionnaire (EDE-Q 6.0)

The following questions are concerned with the past four weeks (28 days) only. Please read each question carefully. Please answer all questions. Thank you.

Questions 1 to 12: Please select the appropriate response for each question. Remember that the questions only refer to the past four weeks (28 days).

On how many of the past 28 days...

	No days	1-5 days	6-12 days	13-15 days	16-22 days	23-27 days	Every day
1. ...have you been deliberately trying to limit the amount of food you eat to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. ...have you gone for long periods of time (8 waking hours or more) without eating anything at all in order to influence your weight or shape?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. ...have you tried to exclude from your diet any foods that you like in order to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. ...have you tried to follow definite rules regarding your eating (for example, a calorie limit) in order to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. ...have you had a definite desire to have an empty stomach with the aim of influencing your shape or weight?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. ...have you had a definite desire to have a totally flat stomach?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. ...has thinking about food, eating, or calories made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. ...has thinking about shape or weight made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. ...have you had a definite fear of losing control over eating?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

EDE scanners use advanced technology to rapidly detect potential COVID-19 cases. They do so by measuring alterations in electromagnetic waves, using a smartphone connected to a sensor.

# The Eating Disorder Examination Questionnaire: reliability and validity .

## Eating Disorder Examination Questionnaire (EDE-Q 6.0)

The following questions are concerned with the past four weeks (28 days) only. Please read each question carefully. Please answer all questions. Thank you.

Questions 1 to 12: Please select the appropriate response for each question. Remember that the questions only refer to the past four weeks (28 days).

On how many of the past 28 days...

	No days	1-5 days	6-12 days	13-15 days	16-22 days	23-27 days	Every day
1. ...have you been deliberately trying to limit the amount of food you eat to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. ...have you gone for long periods of time (8 waking hours or more) without eating anything at all in order to influence your weight or shape?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. ...have you tried to exclude from your diet any foods that you like in order to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. ...have you tried to follow definite rules regarding your eating (for example, a calorie limit) in order to influence your shape or weight (whether or not you have succeeded)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. ...have you had a definite desire to have an empty stomach with the aim of influencing your shape or weight?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. ...have you had a definite desire to have a totally flat stomach?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. ...has thinking about food, eating, or calories made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. ...has thinking about shape or weight made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. ...have you had a definite fear of losing control over eating?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Summary. Integration tests are great to build confidence in your code, but coverage reports of such tests in Go can be tricky. Use `-coverpkg` and `-coverprofile` flags to get more details from test coverage reports, and use `go tool cover -html` to view the results in a browser or `gocovsh` to explore the coverage report from the CLI. . If your code relies on external services, like databases or AWS .

## Testing in Go with table drive tests and Testify - DEV Community



Test-retest reliability was good to excellent (0.66-0.83) for global and subscale scores, and for items assessing key behavioral features of eating disorders (0.55-0.91). Patients with an eating disorder displayed significantly higher EDE-Q scores than controls, demonstrating the good criterion validity of the tool.

### **EDE Scanner in Abu Dhabi: Everything to Know About the COVID Scanner .**



Step 1: Run our speed test on a smartphone, tablet, or laptop connected to your Wi-Fi network while standing next to your router and record the speed test results. Step 2: Connect a wired desktop or laptop to one of the wireless gateway's Ethernet ports. Step 3: Rerun our speed test with the wired connection, and compare the results against .

## Intro to automated testing in Go - DEV Community



How accurate is the EDE Scanner? According to the media release, the pilot trial on 20,000 people tested showed 90.3 per cent sensitivity, reflecting the accuracy of identifying infected individuals, and 83 per cent accuracy in the specificity of the test, reflecting the accuracy of identifying non-infected individuals.

## Abu Dhabi entry: All you need to know about the EDE scans . - Gulf News



This study examined test re-test reliability of the EDE-Q in college women and men, and is the first



study to report test re-test reliability in men specifically. Results were consistent with past research for women, indicating good stability in attitudinal features of ED and lower stability in behavioral features for a relatively short 7-day .

**Antigen test Ede • Book your appointment here • Planjecoronatest. nl**



In part 1 of this series, we looked at the basics of writing tests in Go with the testing. T type, and in part 2, we looked at how with just the testing. T type, you can organize your tests with its Run, Skip, and Cleanup methods. Even with a good grasp of just testing. T, you're ready to write professional test coverage in your Go codebase. . But testing. T and isn't all that the Go standard .

**Code coverage in end-to-end/integration Go tests | Yury Fedorov .**



Google Summer of Code

You can take the antigen test in Ede or at home. The tests take place under the supervision of Dr. A. Faloun. BIG registration: 0991342590. For a corona antigen test in Ede you can go to the following address: Bunschoterplein 45, 6711CD Ede Book an appointment From €109 To €49 per test Save now €

60 €49 Make an appointment

- <https://my.eventsframe.com/event/ea661002-e58c-4e24-adaf-ac6188be799b>
- [https://hub.docker.com/r/paulsteele/oral\\_steroid\\_bulking](https://hub.docker.com/r/paulsteele/oral_steroid_bulking)
- <https://git.forum.ircam.fr/janajakok19/czsk-dabing/-/issues/202>