



Testosterone for Hypogonadism, Male User Reviews. Brand names: AndroGel, Xyosted, Depo-Testosterone, Kyzatrex, Jatenzo, ...show all brand names. Testosterone has an average rating of 7.2 out of 10 from a total of 463 reviews for the treatment of Hypogonadism, Male. 64% of reviewers reported a positive experience, while 19% reported a negative .



🚀🚀🚀 CLICK TO VISIT OUR ONLINE SHOP 🚀🚀🚀

DEPO®-TESTOSTERONE | Pfizer



Typical dosing for Depo-Estradiol (estradiol cypionate injection) Hot flashes: Inject 1 mg to 5 mg into a muscle every 3 to 4 weeks. Work with your provider to taper off this medication as soon as you can. Low estrogen conditions: Inject 1.5 mg to 2 mg into a muscle once a month.

PDF [Product Monograph Template - Standard]

5 DOSAGE FORMS, STRENGTHS, COMPOSITION AND PACKAGING

Table 1 – Dosage Forms, Strengths, Composition and Packaging

Route of Administration	Dosage Form / Strength/Composition	Non-medicinal Ingredients
Intravenous infusion	2 mg of patisiran per 1 mL	<ul style="list-style-type: none">CholesterolDLin-MC3-DMA ((6Z,9Z,28Z,31Z)-heptatriaconta-6,9,28,31-tetraen-19-yl-4-(dimethylamino)butanoate)DSPC (1,2-distearoyl-sn-glycero-3-phosphocholine)PEG₂₀₀₀-C-DMG (α-(3'-((1,2-dimyristyloxy)propanoxy)carbonylamino)propyl)-ω-methoxy, polyoxyethylene)Potassium phosphate, monobasic, anhydrousSodium chlorideSodium phosphate, dibasic, heptahydrateWater for injection

ONPATTRO contains patisiran, a double-stranded small interfering ribonucleic acid (siRNA), formulated as lipid nanoparticles for delivery to hepatocytes.

ONPATTRO contains 10.5 mg patisiran sodium equivalent to 10 mg patisiran free acid in 5 mL per vial. ONPATTRO is a sterile, preservative-free, white to off-white, opalescent, homogeneous solution for intravenous infusion. ONPATTRO is supplied in a single-use, 10 mL Type I glass vial with a Flurotec[®]-coated chlorobutyl stopper and an aluminum flip-off cap containing 5 mL of solution at a concentration of 2 mg of patisiran per 1 mL. The Flurotec[®]-coated stopper is not made with natural rubber latex.

ONPATTRO is available in cartons containing one single-use vial each.

6 WARNINGS AND PRECAUTIONS

General

Infusion-Related Reactions

Infusion-related reactions (IRRs) have been observed in patients treated with ONPATTRO (patisiran). In clinical studies, all patients received premedication with a corticosteroid, acetaminophen, and H1 and H2 blockers to reduce the risk of IRRs. In a double-blind placebo-controlled study, called APOLLO, 18.9% of ONPATTRO-treated patients experienced IRRs, compared to 9.1% of placebo-treated patients. In ONPATTRO-treated patients, all IRRs were either mild (95.2%) or moderate (4.8%) in severity. Among ONPATTRO-treated patients who experienced an IRR, 78.6% experienced the first IRR within the first 2 infusions. The frequency of IRRs decreased over time. Few IRRs led to infusion interruption. IRRs resulted in permanent discontinuation of ONPATTRO in < 1% of patients in clinical studies. Across clinical studies, the most common symptoms (reported in $\geq 2\%$ of patients) of IRRs with ONPATTRO were flushing, back pain, nausea, abdominal pain, dyspnea, and headache (see [ADVERSE REACTIONS](#)).

Written by Mandeep Sohal, PharmD | Reviewed by Christina Aungst, PharmD Published on February 10, 2023 Key takeaways: Testosterone injections are effective medications for combatting low testosterone ("T") levels. They're a common type of testosterone replacement therapy.

Depo-Estradiol (estradiol cypionate injection): Uses, Side Effects .



Medically reviewed by Drugs on Mar 28, 2022. Written by Cerner Multum. Uses Side effects Warnings Before taking Dosage Interactions FAQ What is Depo-Testosterone? Testosterone is a naturally occurring sex hormone produced in a man's testicles. Small amounts of testosterone are also produced in

a woman's ovaries and adrenal system.

Testosterone cypionate - Wikipedia



Primary hypogonadism is the failure of the testes to produce sufficient testosterone, whereas secondary hypogonadism is caused by decreased production of luteinizing hormone. 3 Hypogonadism may.

Depo-Testosterone Reviews & Ratings - Drugs



Testosterone cypionate (Depo-Testosterone) is an injectable form of testosterone that's used to treat low testosterone in adult males. It's injected into your buttock muscle and lasts for a long time, so it only needs to be used once or twice a month. But it might raise the risk of serious side effects including heart attack and stroke .

Depo-Testosterone (Testosterone Cypionate Injection): Side . - RxList



Prior to initiating DEPO-Testosterone (testosterone cypionate), confirm the diagnosis of hypogonadism by ensuring that serum testosterone concentrations have been measured in the morning on at least two separate days and that these serum testosterone concentrations are below the normal range. . It undergoes rigorous internal medical review .

Testosterone Therapy: Review of Clinical Applications | AAFP

BEST PRACTICES IN ENDOCRINOLOGY: RECOMMENDATIONS FROM THE CHOOSING WISELY CAMPAIGN	
<i>Recommendation</i>	<i>Sponsoring organization</i>
Do not prescribe testosterone or testosterone products to men contemplating or attempting to initiate pregnancy.	American Society for Reproductive Medicine
Do not prescribe testosterone to men with erectile dysfunction who have normal testosterone levels.	American Urological Association
Do not prescribe testosterone therapy unless there is laboratory evidence of testosterone deficiency.	American Society for Clinical Pathology
Do not prescribe testosterone therapy unless there is biochemical evidence of testosterone deficiency.	The Endocrine Society/ American Association of Clinical Endocrinologists

Source: For more information on the Choosing Wisely Campaign, see <http://www.choosingwisely.org>. For supporting citations and to search Choosing Wisely recommendations relevant to primary care, see <http://www.aafp.org/afp/recommendations/search.htm>.

Medically reviewed by Drugs. Last updated on Jan 14, 2024. On This Page Description Clinical Pharmacology Indications and Usage Contraindications Warnings Precautions Patient Counseling Information Drug Interactions Adverse Reactions/Side Effects Drug Abuse and Dependence Overdosage Dosage and Administration How Supplied/Storage and Handling







Compare AndroGel vs. Depo-Testosterone - GoodRx

Compare AndroForte® to AndroGel®



VS



	AndroForte®	AndroGel®
Strength 	5%	1.62%
Doses per Pack 	50	30
Number of Days 	50	30
Initial Dose 	1 ml of cream delivers 50mg Testosterone	2 pumps of gel delivers 40.5mg Testosterone
Cost per Day 	\$3.30	\$14.83
Cost as advertised on  goodrx.com	\$165.00	\$445.00

*AndroGel price taken from GoodRX January 2015

Depo- Testosterone (testosterone cypionate injection) is an androgen indicated for replacement therapy in the male in conditions associated with symptoms of deficiency or absence of endogenous testosterone including, 1) Primary hypogonadism (congenital or acquired) - testicular failure due to cryptorchidism, bilateral torsion, orchitis, vanishi.

DEPO®-TESTOSTERONE Description - Pfizer Medical Information



Testosterone cypionate, sold under the brand name Depo-Testosterone among others, is an androgen and anabolic steroid (AAS) medication which is used mainly in the treatment of low testosterone levels in men. [2] [3] [4] It is also used in hormone therapy for transgender men. [5] [6] It is given by injection into muscle or subcutaneously, once .

DEPO®-TESTOSTERONE Clinical Pharmacology - Pfizer Medical Information



Depo-Testosterone has an average rating of 9.7 out of 10 from a total of 10 reviews on Drugs. 100% of reviewers reported a positive experience, while 0% reported a negative experience. Reviews for Depo-Testosterone Top reviews Most recent Most helpful High rating Low rating Time on medication Would. Taken for 1 to 6 months March 12, 2014

Depo-Testosterone: Package Insert - Drugs



Overall rating 4.0 Effectiveness Ease of Use Satisfaction 2 Report this post Anonymous | 55-64 | Female | On medication for 6 months to less than 1 year | Patient 1/13/2015 Condition: Breast Cancer.

The 3 Types of Testosterone Injections: Which is the Most . - GoodRx

Testosterone Injections: Types and Differences



Testosterone therapy in males with low levels can be a major benefit. Men and women benefit. Men and women experience decreases in libido, especially after hysterectomy (women), when their testosterone production has decreased. Both enjoy the benefits of increased libido, energy, motivation, focus and better sleep.

Testosterone for Hypogonadism, Male Reviews - Drugs



DEPO®-TESTOSTERONE (testosterone cypionate injection) This product information is intended only

for residents of the United States. for Healthcare professionals: DEPO-TESTOSTERONE U. S. Physician Prescribing Information USPI-Depo-T Novaplus-Testosterone cypionate-Injection

Depo-Testosterone Uses, Side Effects & Warnings - Drugs



The chemical name for testosterone cypionate is androst-4-en-3-one, 17- (3-cyclopentyl-1-oxopropoxy)-, (17 β)-. Its molecular formula is C₂₇ H₄₀ O₃, and the molecular weight 412. 61. The structural formula is represented below: DEPO-Testosterone Injection is available in two strengths, 100 mg/mL and 200 mg/mL testosterone cypionate. Each mL .

Testosterone cypionate (Depo-Testosterone): Uses, Side Effects, Dosage .



TC is available both branded as Depo-Testosterone® (Pharmacia and Upjohn Company, New York, NY, USA) and as a generic . Both options are supplied in 100 mg/mL (10 mL) and 200 mg/mL (1 and 10 mL) concentrations, prepared in cottonseed oil. The USA FDA recommended starting dose for male hypogonadism is 50 to 400 mg IM every 2 to 4 weeks .

Pharmacology of testosterone replacement therapy preparations


TABLE 2
FDA-approved testosterone formulations²

Formulation	Trade names	Dosing, route, and administration	Benefits	Potential adverse effects or drawbacks
Testosterone cypionate, testosterone enanthate		75-100 mg IM every week or 150-200 mg IM every 2 weeks	Short-acting preparation that allows for drug withdrawal in the event of adverse effects	Fluctuation of testosterone levels
Testosterone undecanoate	Aveed	750 mg IM followed in 4 weeks by another 750 mg IM, then 750 mg every 10 weeks thereafter	Steady-state testosterone levels without fluctuation	Long-acting formulation; does not allow for rapid discontinuation of therapy if adverse effects develop
Transdermal and transmucosal testosterone	Androderm (patch)	A single, 2-6-mg patch daily	Most closely mirrors physiologic testosterone levels	May cause skin irritation; risk of transfer to partner or children
	Axiron (axillary)	30-120 mg daily		
	AndroGel, Testim, Vogelxo (gel)	50-100 mg daily applied to shoulders, arms, or abdomen		
	Fortesta (gel)	10-70 mg daily applied to thighs		
	Natesto (intranasal)	11 mg 3 times daily		
	Striant (buccal)	30 mg every 12 hours		
Oral testosterone	Androxy (fluoxymesterone)	5-20 mg daily in a single or divided doses	Daily oral dosing	Difficult to obtain normal physiologic levels; risk of hepatotoxicity
	Android, Methitest, Testred (methyltestosterone)	10-50 mg daily		
Subdermal testosterone pellets	Testopel	150-450 mg implanted subcutaneously every 3-6 months	Long duration of action	Infection at implantation site; explantation

IM, intramuscular.

DEPO-TESTOSTERONE Product Monograph Page 1 of 20 PRODUCT MONOGRAPH DEPO-TESTOSTERONE testosterone cypionate injection 100 mg/mL sterile solution USP Androgens Pfizer Canada Inc. 17, 300 Trans-Canada Highway Kirkland, Quebec H9J 2M5 Date of Revision: January 18, 2017 Submission Control No: 200538 ©Pfizer Canada Inc. , 2016

A Review of Testosterone Therapy Options for Men - U. S. Pharmacist




The dosing range is 158 mg to 396 mg twice daily. 12. Kyzatrex: Kyzatrex is available as 100-mg, 140-mg, and 200-mg capsules. The starting dose is 200 mg orally twice daily with food. After 7 days of therapy, dosing may be adjusted based on serum testosterone drawn 3 to 5 hours after the morning dose.

Depo-Testosterone Intramuscular Reviews and User Ratings . - WebMD



Overall rating 4.7 Effectiveness Satisfaction Report this post Patient 8/4/2023 Condition: Other Overall rating 2.7 Effectiveness Ease of Use Satisfaction Been on .8 ml of 200mg weekly injections.

DEPO®-TESTOSTERONE Dosage and Administration - Pfizer Medical Information



Depo-Testosterone has an average rating of 9.7 out of 10 from a total of 11 ratings on Drugs. 100% of reviewers reported a positive effect, while 0% reported a negative effect.

Depo-Testosterone vs Testosterone Comparison - Drugs



Testosterone is metabolized to various 17-keto steroids through two different pathways. The half-life of testosterone cypionate when injected intramuscularly is approximately eight days. In many tissues the activity of testosterone appears to depend on reduction to dihydrotestosterone, which binds to cytosol receptor proteins.

Testosterone Cypionate Intramuscular Reviews and User Ratings . - WebMD



Reviewed by: Daisy Chau, PharmD Cydney Ng, PharmD Last reviewed on February 13, 2023

chevron_left Basics Warnings Side effects Pros & cons Pharmacist tips FAQs Dosage Interactions Cost
Contraindications Alternatives Latest news Images References Prices Medicare chevron_right What is
Testosterone cypionate (Depo-Testosterone)?

- https://drive.google.com/file/d/1YvpBl4RJBmBxACyF2Kx7tXK0shKGmbo_/view
- https://drive.google.com/file/d/1_s088r44X-idPaf0vNHbex6JWdEQzato/view
- <https://publiclab.org/notes/print/46064>